



FOCAL POINT

The Art of Architecture™

**Please read and follow
all instructions carefully**

Note:

All table and blade angle degrees are based on the use of a power miter saw. Mouldings should be cut face up unless otherwise noted. These angles are assuming 90° corners are available when installing.

Number	Repeat	Depth	Projection	Table Angle°	Blade Angle°
10300	7 1/4"	1 15/16"	7/8"	—	—
10310	—	12 3/4"	7/8"	—	—
10430	—	5 7/8"	4 1/8"	36.9°	28.0°
10460	1 1/8"	6"	5 5/8"	43.8°	12.0°
10470	—	6"	5 5/8"	43.8°	12.0°
10480	—	6"	5 5/8"	—	—
10510-8	1"	3 5/16"	3 5/16"	39.0°	25.0°
10530-8	1 3/4"	5 1/16"	4 5/8"	39.5°	23.0°
10550-8	3/4"	5"	4 7/8"	44.2°	3.0°
10560-8	13 5/8"	8 11/16"	3 15/16"	16.2°	43.0°
10570-8	2 7/16"	2 1/2"	1 1/4"	15.2°	40.2°
10580-8	9 11/16"	2 15/16"	1 7/16"	20.5°	40.0°
10620	—	3 1/8"	13/16"	—	—
10650-8	—	4 3/8"	3 5/16"	37.3°	27.0°
10670-8	—	3 3/16"	3 3/16"	34.9°	30.0°
10700-8	—	5"	4 5/16"	33.0°	33.5°
10750-8*	—	6 7/8"	6 13/16"	41.9°	18.0°
10760-8*	6' - 6"	6 7/8"	7"	—	—
10770-8*	—	6 7/8"	7"	—	—
10880	—	7 1/8"	6"	34.7°	27.0°
11000*	10 1/2"	4 3/8"	3 3/8"	32.0°	34.0°
11020	5 3/4"	5"	2 7/8"	26.6°	37.8°
11040	3 5/8"	4 3/4"	4"	32.7°	32.8°
11050	1 1/8"	4 1/2"	3 3/4"	32.7°	32.8°
11120	1 7/16"	5"	2 7/8"	26.6°	37.8°
11130*	4 3/4"	6 7/8"	4 3/4"	34.0°	30.0°
11140	2 1/2"	6 3/4"	5 1/4"	31.6°	33.9°
11160	1 1/2"	3 1/4"	2 9/16"	31.6°	33.9°
11170	—	4 3/4"	4"	32.7°	32.8°
11180	—	6 1/4"	6 1/4"	35.3°	30.0°
11270	—	7 1/2"	6 1/4"	32.7°	32.8°
11280	—	4 1/4"	4 1/4"	35.3°	30.0°
11290	—	8 3/4"	8 3/4"	35.3°	30.0°
11300*	—	14 1/4"	14 1/4"	Build Miter Box	
11310*	2 3/4"	6 1/2"	5 3/8"	30.5°	38.0°
11320	5 3/8"	6 7/8"	6"	32.7°	32.8°
11330*	1 1/16"	4 3/8"	4"	38.5°	25.5°
11340*	2"	5 1/16"	3 3/4"	27.0°	38.0°
11370*	—	12 1/2"	10 1/2"	Build Miter Box	
11400*	1 5/16"	6 3/8"	5 1/2"	Build Miter Box	
11470	—	4"	4"	35.0°	30.0°
11540	2 1/16"	4 1/2"	3 3/4"	32.7°	32.8°
11580	3"	7 7/8"	6 5/8"	32.7°	32.8°
11640*	—	5 7/16"	5 1/16"	37.0°	30.0°
11650*	—	8 3/4"	6"	41.0°	21.0°
11670	—	3 1/2"	2 9/16"	39.8°	24.0°
11720*	2 5/8"	6"	4 1/2"	—	—
11750	6 7/8"	4 15/16"	4"	39.8°	22.5°
11770	—	11 1/4"	4 1/8"	17.7°	43.0°
11780	1"	3 15/16"	1 7/8"	23.7°	39.0°

* Indicates Moulding should be cut face down.



FOCAL POINT

The Art of Architecture™

BLADE & TABLE ANGLE GUIDE (2 of 2)

Please read and follow all instructions carefully

Note:

All table and blade angle degrees are based on the use of a power miter saw. Mouldings should be cut face up unless otherwise noted. These angles are assuming 90° corners are available when installing.

Number	Repeat	Depth	Projection	Table Angle°	Blade Angle°
11900	–	6”	5”	32.5°	33.9°
13000*	7/16”	6 3/4”	5 1/2”	32.5°	32.5°
13010*	5”	8”	8”	Build Miter Box	
13020*	3”	7 1/2”	8 1/2”	Build Miter Box	
13070	2 1/2”	4 3/4”	4”	32.7°	32.8°
13200	–	4 7/16”	2 1/4”	20.2°	42.0°
13210	10 5/8”	5 3/4”	2 5/8”	6.0°	45.5°
13220	9 5/8”	6 3/8”	8 1/8”	42.5°	17.0°
13230	4 13/16”	4 1/2”	3 7/8”	32.5°	33.0°
13240	4 3/4”	6 15/16”	2 13/16	32.3°	33.0°
13250	–	5 5/8”	6 7/8”	43.5°	15.0°
13260	9 3/8”	5 1/2”	5 “	40.0°	22.5°
13270	2 5/8”	2 3/4”	2 3/4”	36.0°	30.0°
13280	5 1/4”	6 5/16”	2 3/4”	32.1°	33.0°
14010	–	2”	2”	35.3°	30.0°
14050	2 5/16”	3 1/4”	2 1/2”	31.6°	33.9°
16300*	–	7 1/4”	8 7/16”	Build Miter Box	
16310	–	8 1/2”	7 1/8”	32.7°	32.8°
16320*	1 1/8”	7 5/8”	6 1/4”	36.0°	29.0°
16330*	1 5/8”	6 5/8”	7”	38.0°	26.0°
16340*	4 1/4”	7 1/4”	8 5/16”	Build Miter Box	
16350*	–	4 1/4”	5 1/16”	43.0°	13.5°
16360	–	5”	4 1/4”	32.7°	32.8°
16370*	3/4”	4 13/16”	3 13/32”	41.0°	27.0°
16380*	1”	3 7/8”	4 3/16”	40.0°	22.0°
16390*	2 1/2”	4 1/2”	5”	37.0°	26.5°
16600-8	4 1/2”	3 9/16”	3 15/16”	41.1°	20°
16610-8	5 5/8”	4 7/8”	5 9/16”	41.7°	18°
19210*	8 1/4”	4 1/2”	6”	36.0°	30.0°
19220*	28 5/8”	4 3/4”	7 1/8”	Build Miter Box	
19230*	6”	4”	6 1/8”	Build Miter Box	
19240*	10 3/8”	4 3/4”	7 13/16”	Build Miter Box	
19260	–	7”	7”	35.3°	30.0°
23025	2”	3 1/4”	2 1/2”	31.6°	33.9°
23030	1 3/4”	2 15/16”	2 15/16”	35.3°	30.0°
23035	1 1/4”	3 1/4”	2 1/2”	31.6°	33.9°
23045	2 1/8”	3 1/4”	2 1/2”	31.6°	33.9°
23055	3 3/8”	4 1/2”	3 3/4”	32.7°	32.8°
23125	2”	3 1/4”	2 9/16”	32.1°	32.5°
23130	1 3/4”	3 1/4”	2 5/8”	32.8°	32.0°
23135	1 1/4”	3 1/4”	2 1/2”	31.2°	34.5°
23145	2 1/8”	3 1/4”	2 9/16”	32.1°	32.5°
23155	3 7/16”	4 1/2”	3 3/4”	32.8°	32.0°
23500	2 1/16”	4 1/2”	3 3/4”	32.7°	32.8°
23510	1 1/2”	4 1/2”	3 3/4”	32.7°	32.8°
23520	3/4”	4 1/2”	3 3/4”	32.7°	32.8°
23600	2 1/16”	4 1/2”	3 3/4”	32.8°	32.0°
23610	1 1/2”	4 1/2”	3 3/4”	32.6°	32.0°
23620	3/4”	4 1/2”	3 3/4”	32.7°	32.5°
23800	–	2 3/4”	2 3/16”	31.5°	33.9°
23900	–	3 1/4”	3 1/4”	35.5°	29.0°

* Indicates Moulding should be cut face down.